Hygiene Baselines pre-COVID-19

www.washdata.org

UNICEF Regional Office for South Asia

4 in 10 households in South Asia do not have handwashing facility with soap and water on premises	Ť			A	
5 in 10 schools in South Asia in do not have hand-washing facilities with soap and water available to students	Ť		₩	A	
We do not know the proportion of health care facilities in South Asia that have functional hand hygiene facilities with soap and water or hand sanitizer		NO DATA		Ŷ	

- Frequent and proper hand hygiene is one of the most important measures that can be used to prevent infection with the COVID-19 virus
- There are two main routes of transmission of the COVID-19 virus: respiratory and poor hygiene
- The COVID-19 virus has not been detected in drinking-water supplies, and based on current evidence, the risk to water supplies is low
- Currently, there is no evidence about the survival of the COVID-19 virus in drinking-water or sewage


Conventional, centralized water treatment methods that use filtration and disinfection should inactivate the COVID-19 virus

Source: Water, sanitation, hygiene, and waste management for the COVID-19 virus – Interim Guidance 23 March 2020, WHO and UNICEF

In South Asia, washing hands with soap and water receives too low a priority at home and in schools despite the availability of basic water services 100 92 92 80 68 57 60 Percentage (%) 53 10 20 0 Health Care Facilities Households Schools At least basic water Basic hygiene

JMP

Availability of basic water services does not seem to be the limiting factor for having a hand washing facility with soap and water at home



Access to basic waters and hygiene in South Asia, 2017 (households), 2016 (Schools and Health Care Facilities)

SDG standards for basic WASH services at households, schools and health care facilities

	Water	Sanitation	Hygiene		Waste Management	Environmental Cleaning
Home	Drinking water from an improved source ¹ , provided collection time is not more than 30 minutes for a roundtrip including queuing	Use of improved facilities ² which are not shared with other households	Availability of a handwashing facility on premises with soap and water		hygiene call for the	water, sanitation and provision of WASH
Schools	Drinking water from an improved source is available at the school				Services to School Facil	s and Health Care ities"
Health Facilities	Water is available from an improved source on the premises.	Improved sanitation facilities are usable with at least one toilet dedicated for staff, at least one sex-separated toilet with menstrual hygiene facilities, and at least one toilet accessible for people with limited mobility	Functional hand hygiene facilities (with water and soap and/or alcohol-based hand rub) are available at points of care, and within 5 metres of toilets.	leas infe	ste is safely segregated into at at three bins, and sharps and actious waste are treated and bosed of safely	Basic protocols for cleaning are available, and staff with cleaning responsibilities have all received training

¹ Improved water sources are those which by nature of their design and construction have the potential to deliver safe water. These include piped water, boreholes or tube wells, protected dug wells, protected springs, rainwater and, packaged or delivered water. ² Improved sanitation facilities are those designed to hygienically separate human excreta from human contact. These include wet sanitation technologies – such as flush and pour flush toilets connecting to sewers, septic tanks or pit latrines – and dry sanitation technologies – such as dry pit latrines with slabs, and composting toilets.



°__0





Hygiene Baselines pre-COVID-19 Household and population data


Almost two out of five people in South Asia do not have a handwashing facility with soap and water on premises

ΜΡ

UNICEF









Inequalities in the proportion of population with handwashing facilities with soap and water by wealth quintiles, countries in South Asia, 2017 (%)

776 million people in South Asia do not have basic handwashing facilities with soap and water at home



Distribution of population without basic hygiene at the household, South Asian countries, 2017

Handwashing facilities with soap and water are more prevalent in urban than in rural areas of South Asia




Inequalities in the proportion of population with handwashing facilities with soap and water by urban and rural areas, countries in South Asia, 2017 (%)

Regularly washing hands with soap and water is a behaviour that is difficult to measure at the population level. Asking people if, or when, they WASH their hands usually does not result in reliable answers as most people will be over-reporting their own "good" behaviour. The presence in a household, school or health care facility of a dedicated place or facility for washing hands and the presence of soap and water at that facility, has shown to be a good predictor for people regularly washing their hands with soap and water. A global expert panel suggested that this indicator be used to estimate actual hand washing behavior among a population. This then became the indicator for the monitoring of the SDG hygiene targets.


For more information see: Practical Guide for Measuring Handwashing Behavior https://www.wsp.org/sites/wsp/files/publications/WSP-Practical-Guidance-Measuring-Handwashing-Behavior-2013-Update.pdf

Large disparities in basic hand washing facilities with soap and water within Pakistan and South Asia



Population with basic hygiene facilities disaggregated by UNICEF regions, countries and Pakistan States, urban-rural & wealth quintiles (%) Sources: JMP 2019 and Pakistan DHS 2018


Hygiene Baselines pre-COVID-19 Schools and Health Care Facilities




MP

WHO UNICEF


Source: Knowledge, Attitude and Practice (KAP) Study on handwashing among school children in Bhutan, Ministry of Education in collaboration with UNICEF Bhutan, 2018






Basic water services Hygiene at point of care Hygiene at toilets


Basic water services in health care facilities, and hygiene facilities at points of care and toilets in selected South Asian countries, 2017 and 2016





Coverage with hand hygiene facilities in schools, primary- and secondary schools in Bangladesh and India, 2016

A study from Bangladesh shows that improvements are required in hand hygiene practices at five critical moments of care



Hand hygiene compliance in hospitals in Bangladesh (%) Source: Bangladesh National Hygiene Baseline Survey, 2014

										k			k																6			6
					House	eholds	5					Schools						Health Care Facilities														
		N	ationa	al		Rural		I	Jrban			N	ation	al	Ρ	rimar	у	Se	conda	ary			N	ation	al		H	ospita	ls		Non- ospita	
Country	Year	Basic	Limited (without water or soap)		Basic	Limited (without water or soap)	No facility	Basic	Limited (without water or soap)		Year	Basic hygiene services	Limited hygiene services		Basic hygiene services	Limited hygiene services		Basic hygiene services	Limited hygiene services	No hygiene services	Year	Basic hygiene services	Limited hygiene services	No hygiene services	Handwashing facilities at points of care	Handwashing facilities at toilets	Basic hygiene services	Limited hygiene services		Basic hygiene services	Limited hygiene services	No hygiene services
Afghanistan	2017	38	34	28	29	38	33	64	23	13	2016	-	-	-	-	-	-	-	-	-	2013	-	-	-	-	28	-	-	-	-	-	-
Bangladesh	2017	35	54	11	26	61	14	51	42	7	2016	44	45	11	39	48	14	58	39	3	2016	-	-	-	54	-	-	-	-	-	-	-
Bhutan	2017	-	-	-	-	-	-	-	-	-	2016	-	84	16	-	83	17	-	87	13	2016	-	-	-	-	-	57	-	-	-	-	-
India	2017	60	38	3	49	47	3	80	19	2	2016	54	5	41	55	3	42	53	15	32	2016	-	-	42	-	-	76	0	24	-	-	50
Maldives	2017	96	2	2	95	1	4	97	2	<1	2016	-	-	-	-	-	-	-	-	-	2016	80	20	0	88	86	-	-	-	-7	-	-
Nepal	2017	48	51	<1	43	56	1	67	32	<1	2016	-	-	-	-	-	-	-	-	-	2016	-	-	-	46	-	-	N	O DATA	9	-	-
Pakistan	2017	60	32	8	46	43	11	83	12	5	2016	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-		4	-	-
Sri Lanka	2017	-	-	-	-	80	20	100	0	0	2016	-	-	-	-	-	-	-	-	-	2016	-	-	-	91	-	-	-	-	Π	-	-
South Asia	2017	57	39	5	46	48	6	77	20	3	2016	53	10	37	-	-	-	-	-	-	2016	-	-	42	-	-	76	<1	23	-	-	50

Sources: Population data on Hygiene: Progress on household drinking water, sanitation and hygiene 2000-2017: Special focus on inequalities, JMP, 2019; WASH in Schools data: Drinking Water, Sanitation and Hygiene in Schools -Global baseline report 2018, JMP, 2018; WASH in Health Care Facilities data: WASH in Health Care Facilities; global baseline report, JMP, 2019

Hygiene Baselines pre-COVID-19

Resources

WHO/UNICEF Technical Brief: Water, Sanitation, Hygiene and Waste Management for COVID-19

(A) World Heath Organization	unicef						
Water, sanitation, hygiene, for the COVID-19 virus Interim guidance 19 March 2020	and waste management						
Background	1. COMB-Pressalisies						
This interact guidance experiments for influence percention and a sensitive (FEC) discussions. By constraining WEO positions on using material and likelih any tang- sid-ant returns, including annuance tensor. It is interached for were real annumery providence and providers and boddle care generation and sequence to the sensitive and boddle care generation. Second providence and boddle and providence with the second second second second and the second second second second second and second second second second second second and second s	These are two assessments of the COVID- tions requestion with the covid-transmission of the COVID- tions requested where an advanced pressure ranging as merces. An approxes which is in dome meters with summer which integrations suppresses consenting, engling is not do of bins copyonal or particularly address the support of the advanced structure of the summary of the submark and indicated structures of the summary indicated and advanced structures of the summary control consent of a summary learned meters of the summary of constituted (2017)1- 2019 - 2019 - 2019 - 401 -						
valuations: distance exploring the valuating the control of outback. Ensuing particul constantly agricul VADI and maker strangeneous protects its communities, hows, where, maker and hands one facilities and halp preven improve to human transmission of the COURD-10 varias. The space signature information concerning WASH and the	Approximate Vol. Sachos," and two rankes described draws present Vol. Sachos," and two rankes describ OVPD-19 and VOL. Supposed in the family described of CVPD-19 and Vol. Supposed, in the same described of the same state of the same state for CVPD-19 and the same state of the OVPD-19 and the same state of the CVPD-19 and the same state of the CVPD-19 and the same state of the SAC state of the SAC state.						
 CHD 3** carminations: Shapes may be COTD 5 using the set of the ST COTD 5 using the ST COTD 5 using	1 Engineering the CPU Fill and the CP						

This Technical Brief is This Technical Brief supplements existing written in particular for water and sanitation Infection, Prevention and practitioners and pro-Control (IPC) documents by referring to and sumviders and is regularly marizing WHO guidance updated. on water, sanitation and health care waste which is relevant for viruses (including coronaviruses).

Check for new updates from: <u>https://www.who.int/publications-</u> detail/water-sanitation-hygiene-and-waste-management-for-covid-19

UNICEF Hygiene Programming Guidance Note COVID-19 Emergency Response

10 March 2020	the wave privat
COVID-19 Emergency Response	
UNICET Hygierss Programity Guidance	Nola
Union Mandeig Wygene primetter in the same	et of the COMD 15-3 downed
promotion campaign as part of a broadler risk not means to provide a comprehensive public prompts and questions to theirk about when or behavior change interventions in the context of	Is consider when planning and implementing a hypiem communication 5 community empagement stralegy. It is designing as behavior change companying, but with regigning with local governments and GAD onleagues in if this new virus. The collect is based on issues learn schubble heath immegneties and general programming.
10 submit preparedness and response. The trustead in hyperic promotion activities varies UNDEF GRD and WISH coloogane. (2) off enterior of material charmets, camp headformatteninglocation promotion.) In any to	officers all country officers working together on the Count ender to whose UNICEF Within and CR3 officers are by country and depends on (1) preserve and capacity explision of country and approximation of the targets and premotion activities to a matter present. UNICEF WIRAD officers provide increased input prior mode.
Please relier to separate documents for guiden	ce on Covid-19 IPC programming in activate and HCF
Essertial to know:	
Briefly, what is essential for hypiene promotion of transmission of COVID-19: respiratory on	practitionans to innov to that there are bee main restau d contact.
tand on surfaces where the situs could remain	holed person poughts or sciences. Disperts may also statility and thus the investigate environment of an investigation (contact investigation). This task of calcular appears to be task.
Important resources to read	
Just WHO-UNICEF INNErtworkial best	Mps (www.ets.ct/jubilities.chtaileater sanddow hypere and wate nor operation paid 19
WHO websical guidance pages on PC	Mpc of wear and of the marger calls demonstrated concentration 2011 Mind on an guilder out inflation- presentation and control of Mino. Name what a KM Regions- amore the backhadder of the data- ance of the backhadder of the data-
INHO mutual union PC taining	Https://commitie.org/tourses/COV/D-1H-IPC-EH
service and a service and	
	ier an ige al action. The educate proximitiy evolves
Tax log for easy require skiller depends to longers	tere and type of terface. The extension processed by notice as

This Note is intended for WASH and C4D officers working together on the COVID-19 outbreak preparedness and response. It provides guidance on which aspects to consider when planning and implementing a hygiene promotion campaign as part of a broader risk communication & community engagement strategy. The content is based on lessons learnt regarding gaps in hygiene promotion during past public health emergencies and general programming.

Check for new updates from: https://washdata.org/monitoring/hygiene

JMP Core Questions to Strengthen National Monitoring of SDG 6.1 and 6.2 on Water, Sanitation and Hygiene through Household Surveys and Censuses, Education Monitoring Information Systems (EMIS) and Health Management Information Systems (HMIS)

JMP Core questions on water, sanitation and hygiene for household surveys



During the MDG period the JMP partnered with major international survey programmes to develop and standardize core questions and indicators for use in national household surveys and censuses which were the prime data sources for the JMP.

Since publication of the JMP core questions in 2006, international survey programmes have aligned their questionnaires and the core questions have been used extensively in national surveys and censuses around the world, leading to increased harmonization of national WASH data.

The indicators selected for monitoring the SDG WASH targets build on the established improved/unimproved facility type classification and introduce additional criteria, derived from the human rights to safe drinking water and sanitation, relating to the level of service provided. Since 2012, the JMP has been collaborating with the UNICEF Multiple Indicator Cluster Survey programme and other inter-national survey programmes to develop and test new questions that address the SDG criteria for service levels, including an innovative new module for water quality testing in household surveys.

Harmonizing approaches to monitoring WASH in Schools

International consultations between 2011 and 2013 identified schools as a priority setting for global WASH monitoring post-2015. A preliminary UNICEF review identified 149 countries with existing national data on WASH in primary schools but, found indicator definitions were often missing and varied widely between national data sources, limiting the potential for cross-country comparison.

The WHO/UNICEF JMP subsequently convened a global task team of WASH and education experts to review global norms and standards and develop a

harmonized set of core indicators and questions for monitoring basic drinking water, sanitation and hygiene services in schools. The official global indicator for SDG target 4.a refers to these harmonized definitions for WASH in schools ('as per WASH definitions') and the core questions and indicators are increasingly being incorporated into national Education Information Management Systems (EMIS) and major school surveys around the world. Continued collaboration between WASH and education stakeholders will be important to



support the progressive standardization of data collection and analysis for national and global reporting of WASH in schools.



Harmonizing approaches to monitoring WASH in Health Care Facilities

The **core indicators and questions in this guide** were developed by the Global Task Team for Monitoring WASH in Health Care Facilities (HCF), convened by the WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (JMP), and working under the auspices of the Global Action Plan on WASH in HCF. They are derived from current global normative documents, national standards and regulations, questions that have been used in facility assessment surveys and censuses, and the normative criteria of the human rights to water and sanitation: accessibility, availability, quality and acceptability.

National estimates can be derived from **facility-based surveys** that collect data via interviews and observations by trained enumerators, as well as routine administrative reporting systems filled out by health care workers and managers (e.g. Health Management Information Systems [HMIS]). The core questions are intended to be:

- 1. applicable for use in different types of data collection mechanisms
- 2. relevant in all countries and settings,
- 3. focused on the minimum criteria for provision of basic WASH services in HCF.

For countries where the minimum criteria for basic WASH services are not aspirational and monitoring systems have the capacity for additional questions, the core questions can be supplemented with additional questions from a list of possible topics provided in Annex A of the guide. This document:

- describes why it is important to adopt a harmonized set of core questions for monitoring WASH in HCF;
- presents core indicator definitions for "basic" WASH services in HCF and associated service ladders;
- introduces core questions to support harmonized data collection to monitor WASH in HCF;
- provides an example of incorporating the core questions in national questionnaires (e.g. HMIS);
- presents examples of data analysis and tabulation to calculate coverage of "basic" WASH services in HCF; and
- suggests topics that could be used in detailed assessments that go beyond the minimum set of basic service indicators.